Moduline SafeBarrier Pro Specification

1.0m high vertical bar type - Type 1c(ii)

Description: 1000 mm high barrier top fixed to 120 mm concrete slab.

20

Panel height

960

1000 min.

60 max.

(Scale 1:10)

Application: Concrete slab

Plastic cap

50 x 50 x 2.0

posts

C350/C450 posts 1800c/c max.

Moduline 19mm square

vertical bar panel between

Base Fixing Detail

Non shrink grout

50

DRAWING NOTES

Design Scope and Compliance:

This specification covers the design of the barrier members and base fixing only, and does not cover the design of the supporting structure.

The contractor or building designer must ensure that the supporting structure can support the barrier loads. Minimum concrete strength 17.5 MPa


The barrier design complies with the New Zealand **Building Code:**


Section B1/VM1 (structure)

- AS/NZS 1170.1 barrier cat. A, B, C3 & E
- NZS3604:2011 Extra high wind zone (55m/s). Section F4/AS1 (safety from falling).

Threaded rod & washers shall be 316 stainless steel. Provide neoprene washers or DPC between washers & baseplate..

All measurements in mm unless stated otherwise.






		A			
	90	***************************************	`	<u> </u>	
Over	-\- -\-			*	Reinforced concrete slab by others (min. conc. compression
1000		*	*	*	strength 17.5MPa)
	*		*		*

Section

D	04/09/2024
С	07/01/2022
В	20/09/2019
Α	14/12/2017
-	24/03/2016
Revision	Date

Revision	D
----------	---



Notes:

All measurements in mm unless stated otherwise.

1.0m high vertical bar type - Type 1

(See specification sheet for detail) (Scale 1:20)

/03/2016			
20/9/2019			
1/09/2024			

Davislan	_
Revision	В

Moduline SafeBarrier Pro Specification

1.0m high solid panel type - Type 1c(ii)

Description: 1000 mm high barrier top fixed to 120 mm concrete slab.

20

Panel height

960

1000 min.

(Scale 1:10)

Application: Concrete slab

Plastic cap

-1800c/c max. - very high wind → -1600c/c max. - extra high wind

Moduline Duopanel between

Base Fixing Detail

50

posts

50 x 50 x 2.0 C350/C450 SHS

DRAWING NOTES

Design Scope and Compliance:

This specification covers the design of the barrier members and base fixing only, and does not cover the design of the supporting structure.

The contractor or building designer must ensure that the supporting structure can support the barrier loads. Minimum concrete strength **17.5 MPa**

The barrier design complies with the New Zealand Building Code:


Section B1/ VM1 (structure)


- AS/NZS 1170.1 barrier cat. A, B, C3 & E
- NZS3604:2011 Extra high wind zone (55m/s). Section F4/AS1 (safety from falling).


Notes:

Threaded rod & washers shall be 316 stainless steel. Provide neoprene washers or DPC between washers & baseplate..

All measurements in mm unless stated otherwise.









Section

С	04/09/2024
В	07/01/2022
Α	08/12/2021
-	20/09/2019
Revision	Date

Revision C





Notes:

All measurements in mm unless stated otherwise.

1.0m high solid panel type - Type 1

(See specification sheet for detail)

Scale	1:20)
	,

Α	04/09/2024
-	20/09/2019
Revision	Date



PRODUCER STATEMENT - PS1 - DESIGN

ENG REF:7327 Type 1c(ii)

ISSUED) BY	Anthony Ma	rino (for Marin	o Consulta	ants a	and Associa	tes Ltd)		
				(Desig	ın Firm,				
TO:	Metal Rollforming Ltd								
TO BE	SLIDDI IED	TO: Various	•	(Owner/L	Develo	oer)			
TO BE .	OOI I LILD	variou.	,	(Building Co.	nsent A	Authority)			
IN RES	PECT OF:	Moduline S	SafeBarrier Pro	-					
				(Description of					
AT:	Non-S	pecific,							
				(Add	dress)				
LOT:			DP:				SO:		
			owner/developer Clause(s) B1, F				specific s	structural desi	gn services in
☐ All		art only (as sp oposed build	pecified in the ating work.	tachment to	o this	statement, re	ef: 7327 T	ype 1c(ii)), of	the
The des	sign carried	out by us ha	s been prepared	d in accorda	ance	with:			
✓ Com	pliance Do	cuments issu	ed by the Minist	ry of Busin	ess, I	nnovation an	d Employ	ment	
	B1/VN	1 (NZS3603,	AS/NZS1170, I	VZS3404),	F4/A	S1			
✓ Alter	native solu	tion as per th	e attached sche	dule <i>R</i> a	amse	t Specifiers	Anchorin	ng Resource	Book 2015
The pro	posed build	ding work cov	ered by this pro	ducer state	ement	is described	on the dr	awings titled	
Moduli	ne SafeBa	rrier Pro 1.0ı	m high - Type 1	c(ii)	and	numbered	1, 2, 3,	4	
togethe	er with the s	pecification,	and other docun	nents set o	ut in t	he schedule	attached	to this statem	ent.
On beh	nalf of the	Design Firm	, and subject to):					
(i) S			lowing design as ng structure by o		S:				
(ii)	All propriet	ary products	meeting their pe	rformance	speci	fication requi	rements;		
specific provision	cations, and ons of the E tency to do	d other docum Building Code	nds that a) the benents provided on and that b) the commend the following	or listed in the persons wh	he att ho ha	ached sched ve undertake	ule, will con the des	omply with the ign have the r observation:	e relevant necessary
l, <u>An</u>	thony Lew	is Marino					am	CPEng No	69890
I am a	member of	Engineering	New Zeaaland a	and hold the	e follo	wing qualific	ations:	BEHons.,	CPEng.
\$200,0	00.	J	atement holds a	current po	licy of	[†] Professiona	ıl Indemni	ty Insurance r	o less than
The De	esign Firm i	s a member o	of ACENZ:						
SIGNE	D BY	Anthony Ma	rino (B.E.(hons	s), CPEng	(Civil	and Structu	ıral), CME	EngNZ, SESC	C)
ON BEH	HALF OF	Marino Con	sultants and As	ssociates	Ltd.				
	A	max	æd	DATE	<u> </u>	09/09/2024			
	e Hopper I 18 171 (Mo		ee Point 0118						
anthony	, marino@α	outlook co nz	(Fmail)						

Note: This statement shall only be relied upon by the Building Consent Authority named above. Liability under this statement accrues to the Design Firm only. The total maximum amount of damages payable arising from this statement and all other statements provided to the Building Consent Authority in relation to this building work, whether in contract, tort or otherwise (including negligence), is limited to \$200,000

This form is to accompany Form 2 of the Building (Forms) Regulations 2004 for the application of a Building Consent.

PRODUCER STATEMENT PS1 October 2013 (PDF)